

**TORO.**

Count on it.

## Groundsmaster® 7200/7210 Polar Trac™ System




**TORO.** Count on it.

# Winter has met its match.

## Groundsmaster® 7200/7210 Polar Trac™ System

- 18.6 kW (24.8 hp) or 26 kW (35 hp) Kubota® diesel engine
- Heated and pressurized hard cab
- Patent-pending rubber snow tracks
- Quick-connect attachments – no tools required

While other mowers hibernate during the winter months, the Toro® Polar Trac System transforms the Groundsmaster 7200/7210 into a powerful snow removal machine. The patent-pending Polar Trac System is ready for all winter conditions with its heated hard cab, innovative rubber track system and quick-connect attachments. With its zero turn radius capabilities, you can remove snow from the tightest areas.



**Convert the Groundsmaster 7200/7210 with the Polar Trac System in just four hours.\***

\* Based on 2 people for 4 hours, assuming parts and materials are ready for assembly



# Attachments

133 cm (53") Snow Blower



150 cm (60") Rotary Broom



120 cm (48") V-Plow



150 cm (60") Angled Snow Blade



## Exclusive features.



Two foot-pedal controls simplify the snow attachment operation.



Quick-connect attachment system allows swapping of attachments without tools.



The articulating rubber track system maximizes traction.



The integrated direct-drive transmission reduces maintenance and improves durability.

## Ready for anything.

The Polar Trac cab was designed to increase productivity by making the operator as safe and comfortable as possible. The spacious ROPS certified cab offers large windows for a clear visibility of attachments and surroundings. The zero-turn stick operation, easy two-pedal attachment controls and deluxe suspension seat ensure operator comfort and reduced fatigue. No matter what the winter brings, you'll be ready with the Toro Polar Trac System.



# See it and believe it.



Be ready when the snow hits. The Toro® Groundsmaster® 7200/7210 converts from a mower to the Polar Trac™ System in less than four hours. Watch the time-lapse video at [www.toro.com/gm7200](http://www.toro.com/gm7200).

## Specifications for Groundsmaster 7200/7210

### Polar Trac System

#### Engine

**Model:** Kubota® 3-cylinder, diesel

**Rating:** 7200: 18.6 kW (24.8 hp); 7210: 26 kW (35 hp) turbo

**Cooling:** Liquid

**Displacement:** 1123 cc

**Fuel capacity:** 43.5 litre (11.5 gallon)

#### Traction Unit

**Transmission:** Direct drive to engine, integrates dual wheel motor pumps and hydraulic clutch directly mounted to engine

**PTO Clutch:** Hydraulically actuated wet multi-disc clutch

**Wheel Drive:** Independent high-torque, low-speed wheel motors with 310 cc displacement

**Steering:** Adjustable twin sticks with high performance CYB® hydraulic dampers

**Instrumentation:** Hour meter, glow plug, temperature, oil pressure, alternator

**Seat:** High back cushion, adjustable for operator weight, seat back angle, fore/aft position, lumbar support and armrest height

#### Electrical

**Battery:** 12 volt. 540 CCA

**Alternator:** 40 amp

**Interlocks:** Tractor neutral, operator presence, parking brake, PTO on, auxiliary hydraulics on, high temp and overtemp

**Track System:** Three wheels distribute weight over each track; front two wheels are mounted to a walking axle permitting motion without losing track tension

**Track Tread:** Kevlar reinforced rubber compound

**Ground Speed:** 12.9 km/h (0-8 mph)

**Attachment System:** Quick-connect allows swapping of attachments without tools; discharge chute or the angular position of both the rotary broom and straight blade

**Attachment Controls:** Two foot pedals; Left pedal: Raise/Lower/Hold/Float; Right pedal: Attachment angle control-right/left

**Snow attachments:** 135 cm (53") Snowblower, 152 cm (60") rotary broom, 152 cm (60") angled snow blade and 122 cm (48") V-plow

**Polar Trac Cab:** ROPS certified, tinted safety glass, includes heater/pressurizer, front wiper, dome light, upholstered interior, floor mat, rubber isolator mounts

**Cab Light System:** Work/road lights, turn signals, flashers and tail lamps

#### Dimensions

**Width:** 126 cm (49.5")

**Length:** 231 cm (91") from rear bumper to front quick connect system

**Height:** 198 cm (78") to top of cab

**Track Contact Length:** 102 cm (40")

**Weight:** Groundsmaster 7200/7210: 1052 kg (2320 lbs.)

**Safety Certifications:** OSHA 1928.51, SAE J1194, CSA B352.1, ANSI/ASAE S279.12

## TORO® PROFESSIONAL SERVICES

**Toro Financing** Many flexible financing options are available to meet your specific operational requirements.

**Toro Genuine Parts** Keep the productivity and performance of your equipment at its peak by using genuine Toro replacement parts. Find and identify your replacement parts online at [www.Toro.com/partsviewer](http://www.Toro.com/partsviewer).

**Toro Training** Toro Technical Service Schools are available from your local distributor. Explore the training and customer care areas of [Toro.com](http://Toro.com) and [ToroNSN.com](http://ToroNSN.com) for readily available on-line education and training materials.

**Toro Controller Repair** Provides irrigation controller boards ready for immediate board exchange to assure that downtime is minimal and your turf stays protected. Toro is the choice for reliability. +1 909 785 3630

**Toro NSN®** An industry-first support network that provides reliable, around-the-clock irrigation central control system trouble-shooting and operation assistance. For assistance please contact:

Canada / Mexico / Latin America +1 325 673 8762

Europe / Middle East / Africa +32 (0) 14 56 29 33

Australia / Asia-Pacific +61 7 3268 2154

Products depicted in this brochure are for demonstration purposes only.

Actual products offered for sale may vary.

©2011 The Toro Company, 8111 Lyndale Ave. S.,  
Bloomington, MN 55420-1196

GB Part No. 200-3263 REVA. Printed in U.S.A.

[www.toro.com](http://www.toro.com)



**Count on it.**